



Bobcat

One Tough Animal

COMPACT TRACK LOADERS

T66-2, T76-2, T86-2

R-Series Evolution

🌐 Europe



INTRODUCTION

ONE
TOUGH
ANIMAL

OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.



BOBCAT'S HISTORY

In 1958, the Melroe Manufacturing Company introduced a compact front-end loader that quickly evolved into the M400, the world's first true skid-steer loader. The company soon adopted what became the world-famous 'Bobcat' brand, and its success paved the way for the global compact equipment industry we see today.

YEARS OF EXPERIENCE

Today, Bobcat's EMEA headquarters in Dobříš, Czech Republic, serves as a hub for innovation. Here, a manufacturing plant produces around 25 000 machines annually for EMEA customers and global export. The site is also home to the Bobcat Innovation Centre, where rigorous testing and product development take place using advanced facilities like climate-controlled and anechoic chambers.



BOBCAT TODAY

With over 60 years of manufacturing experience and a commitment to ongoing innovation, Bobcat has delivered millions of machines to the market. Known for their high performance, reliability, and unparalleled comfort, the diverse lineup caters to various applications. Whether it's landscaping, snow removal, construction, demolition, or roadwork, Bobcat machines empower users to accomplish more.



BUILT FOR ALL CONDITIONS

► **BOOST IN RELIABILITY, PERFORMANCE, AND OPERATOR EXPERIENCE**

Using decades of experience developing the toughest loader on the planet, we added a host of improvements and smart technology to increase durability, boost performance, and bring first-class comfort to the all-new R-Series.



► **STABLE AND STRONG**
Outstanding lift capacity with high pushing and breakout forces, complemented by excellent machine stability. The T86-2 leads the pack with a 3.7-metre lift height, allowing for effortless loading of high-sided trucks.



► **SELECTABLE DRIVE MODES**
Master your jobsite with four new drive modes: Balanced, Agile, Dynamic, and Charged. Easily match your machine's responsiveness to the task — for maximum productivity and comfort.



► **FIRST-CLASS COMFORT**
Auto Ride Control provides a smooth ride, extensive connectivity options make staying in touch easy and an 8" touch display allows you to control all machine settings with ease.



► **IMPROVED VISIBILITY**
New cab construction is optimized for maximum visibility, with integrated rear and optional side cameras.

OUTSTANDING PERFORMANCE


► ELITE PERFORMANCE: THE T86-2

Experience a productivity boost with the T86-2, now featuring an increased 115 hp engine. Together with an industry-unique 159 l/min Super Flow system and exclusive 5-block coupler, delivering 20% greater efficiency, it provides the high-performance lifting and hydraulic flow required to dominate heavy-duty attachments and the toughest jobsites with ease.



► INCREASED LIFTING CAPABILITIES

With more surface area in contact with the ground and a perfect balance between weight and horsepower, the R-Series features outstanding stability and enough lift capacity for any job site. 3.7 m lift height at the hinge pin of the T86-2 speeds up high-sided loading, boosting productivity.



► 5-LINK TORSION SUSPENSION

The R-Series undercarriage provides more stability when lifting or grading as well as a smoother ride, thanks to its 5-Link Torsion Suspension. This simple and durable design also reduces vibration to further improve component life.



STEP INSIDE

► ELEVATED COMFORT FOR PEAK PERFORMANCE

Take comfort to the next level within a spacious, soundproofed Clear View Cab engineered for operator well-being. Eliminate fatigue with reduced noise and a comfortable suspension seat as standard with optional cloth heated air-ride seat, for maximum comfort all day — and all year — long. You gain excellent visibility through rear and optional side cameras and total control via the 8" touch display, keeping you focused, connected, and productive in a workspace built entirely around your needs.

► 8-INCH TOUCHSCREEN DISPLAY



Elevate your experience with the 8-inch glove-friendly touchscreen designed for intuitive navigation. Manage multi-camera views even with a split-screen, pair your phone with built-in Bluetooth for calls, and save custom profiles for up to 20 operators.

► EXCELLENT CONNECTIVITY




The new Infotainment system keeps you connected and entertained with an integrated radio, a more powerful speaker setup, and high-speed USB-C ports. For seamless communication, Bluetooth pairing works alongside active noise-cancelling technology to filter out background interference for crystal clear calls even in the heart of a busy job site.

► CLEAR VIEW CAB



Get a whole new experience while operating your Bobcat loader with a Clear View Cab. It provides a clear, unobstructed view, helping you perform any task. The thick polycarbonate glass on the sides of the cab with a minimal metal mesh allows you to maintain full operator protection.



BUILT TO LAST

► **OUTSTANDING UPTIME**

The R-Series focuses on durability and uptime through integrated enhancements that minimize maintenance. Key features include self-diagnostics, various protection systems (shutdown, battery, and cold weather), and improved lubrication and hose protection. Combined with long-lasting tracks and a reliable undercarriage, these loaders ensure maximum uptime and peace of mind on every job.



LAND MANAGEMENT KIT

Take on demanding land clearing without slowing down. Exclusively for your Bobcat T86-2 and Forestry Cutter — robust guarding, protective covers, and an integrated pre-cleaner keep debris out and clean airflow moving.

ASK YOUR DEALER ABOUT THE BEST KIT FOR YOUR NEEDS.

► **EXTENDED SERVICE INTERVALS**

R-Series loaders feature enhanced fuel and air filters with significantly larger surface areas, protecting the system while extending filter life. These improvements, combined with extended service intervals — including a first service recommendation at 500 hours — allow you to improve efficiency and reduce operating costs.



A MACHINE THAT WORKS WITH YOU. A BRAND THAT STANDS BEHIND YOU.

Buying a Bobcat isn't just a purchase — it's peace of mind. From day one to the final hour, we're with you.



BOBCAT WARRANTY

COVERAGE THAT HAS YOUR BACK

Every new Bobcat comes with built-in confidence — and the option to go even further.

- ✓ 2 years / 2 000 hours of standard coverage
- ✓ Protection Plus: Extend your warranty and your peace of mind



MACHINE IQ

STAY IN CONTROL — EVEN FROM A DISTANCE

Track your machine's performance, location, fuel level, and health in real time from your phone or computer thanks to Machine IQ, with a Standard plan now free with new machines.



ATTACHMENTS

ONE MACHINE, MANY JOBS

Your Bobcat is more than a machine — it's your all-in-one solution. From loading to drilling to cleanup, swap tasks in seconds.

- ✓ Pre-selected kits for easier setup
- ✓ Quick changes with Bob-Tach™ or common industry interface (CII)

TRAINING VIDEOS:
QUICK TIPS,
REAL RESULTS



SERVICE

SERVICE THAT KEEPS YOU MOVING

Bobcat-authorized service means your machine gets expert care — fast. Regular checks, genuine parts, minimal downtime. And support that's always close by.



GENUINE PARTS

GUARANTEED PERFORMANCE.

Perfect fit, lasting performance, longer machine life. With genuine Bobcat parts, every start is reliable, and every action precise.

- ✓ Wide partner network
- ✓ 96% of parts delivered within 48 hours



BOBCAT CERTIFIED

BACKED TO HOLD VALUE

A well-maintained Bobcat keeps its edge — and its worth. With Bobcat Certified, your machine stays recognised, trusted, and ready for the next owner.

BOBCAT. RELIABILITY THAT LASTS LONGER.

T66-2

► COMPACT YET POWERFUL

The T66-2 packs a surprising punch with its compact footprint and a rated operating capacity of 1 110 kg.



T76-2

► TRULY MULTI-PURPOSE


The T76-2's great hydraulic performance guarantees productivity and greater rated operating capacity than lighter machines. Adapt to any situation — and tackle anything the job site demands — with impressive versatility.

CHOOSE YOUR ANIMAL

T86-2

► MUSCLES FOR EVERY JOB

A powerful yet agile machine, the T86-2 leads the lineup with 115 hp (up from 105 hp) and a 3.7-metre lift height. It offers superior performance for even the most demanding jobs with a 1 780 kg rated operating capacity, over 5-tonne tipping load, and the Super Flow.



T66-2	74 hp ENGINE POWER	102 l/min HYDRAULIC FLOW	3.0 m LIFT HEIGHT	3 175 kg TIPPING LOAD
T76-2	74 hp ENGINE POWER	115 l/min HYDRAULIC FLOW	3.3 m LIFT HEIGHT	4 050 kg TIPPING LOAD
T86-2	115 hp ENGINE POWER	159 l/min HYDRAULIC FLOW	3.7 m LIFT HEIGHT	5 087 kg TIPPING LOAD

STANDARD EQUIPMENT & OPTIONS

	T66-2	T76-2	T86-2
CAB			
3-point seat belt	✓	✓	✓
8" touch display (radio ready)	✓	✓	✓
8" infotainment	•	•	•
Adjustable suspension seat	✓	✓	✓
Heated cloth air ride seat with 3 point seat belt	✓	✓	✓
Auto air conditioning	•	•	•
Clear View Cab*	•	•	•
Deluxe pressurized cab* with air conditioning	✓	✓	✓
Fire extinguisher kit	•	•	•
FOPS kit*	•	•	•
Keyless start	✓	✓	✓
Lexan rear window kit	•	•	•
Radio	•	•	•
Seat bar	✓	✓	✓
Selectable Joystick Controls (SJC)	✓	✓	✓
Special applications front door kit	•	•	•
LIGHTS & BEACON			
4-way flasher kit	•	•	•
Beacon	•	•	•
LED side lighting kit	•	•	•
LED working lights front and rear	✓	✓	✓
Premium LED lights (with corner view)	•	•	•
Headlight guard kit	•	•	•
Tail light guard kit	•	•	•
TRACKS			
400 mm multi bar lug tracks	•	–	–
400 mm wide rubber tracks	✓	–	–
450 mm multi bar lug tracks	–	•	•
450 mm wide rubber tracks	–	✓	✓

• = option ✓ = standard – = not available or not compatible

	T66-2	T76-2	T86-2
PERFORMANCE			
Attachment control kit	✓	✓	✓
200 lbs (90 kg) counterweight kit	•	•	•
300 lbs (136 kg) counterweight kit	•	•	•
Auto Ride Control	•	•	•
Auxiliary hydraulics: variable flow / maximum flow	✓	✓	✓
Bob-Tach™ attachment system	✓	✓	✓
Bobcat Interlock Control System (BICS)	✓	✓	✓
Dual Direction Bucket Positioning (including ON/OFF switch)	✓	✓	✓
Engine block heater kit	•	•	•
Engine / hydraulics system shutdown	✓	✓	✓
Five Coupler Auxiliary Block	–	–	✓
High flow hydraulics	✓	✓	✓
Super flow hydraulics	–	–	✓
Lift arm support	✓	✓	✓
Power Bob-Tach™	•	•	✓
Rear auxiliary hydraulic kit	•	•	•
Reversible fan	•	•	•
Spark arrestor muffler	✓	✓	✓
Two speed travel	✓	✓	✓
MISCELLANEOUS			
Backup alarm	✓	✓	✓
Debris seal kit	•	•	•
4-point lift kit	•	•	•
Horn	✓	✓	✓
Machine IQ (telematics)	✓	✓	✓
Parking brake	✓	✓	✓
Reversing camera	•	•	✓
Side cameras	•	•	•
Road kit	•	•	•
Single-point lift kit	•	•	•
Land Management kit	–	–	•

*Roll Over Protective Structure (ROPS) – meets requirements of SAE-J1040 and ISO 3471; Falling Object Protective Structure (FOPS) – meets requirements of SAE-J1043 and ISO 3449, Level I

PERSONALIZE YOUR MACHINE

Sometimes, we all want to add a specific functionality or a personal touch to the machine. Choose from a list of comprehensive options and customize your track loader to your heart’s content!



8" infotainment



Auto air conditioning



Auto Ride Control



LED Side lighting kit



Power Bob-Tach™



Premium LED lights (with corner view)



Headlight guard kit



Lexan rear window kit



Reversible fan



Reversing camera



Clear View Cab



Tail light guard kit



5-block coupler for Super Flow


MULTI-TOOL CARRIER

BOBCAT ATTACHMENTS

Get more versatility and efficiency with Bobcat attachments and implements.

- The largest choice of attachments in the industry.
- Match performance to your Bobcat machine.
- Work harder with stronger components and construction.
- Rest easy with the 12-month warranty on every genuine Bobcat attachment.

TOP SELECTION OF ATTACHMENTS			
	T66-2	T76-2	T86-2
1 Angle broom	•	•	–
2 Auger	•	•	•
3 Bale fork	•	•	–
4 Box blade	–	•	•
5 Breaker	•	•	•
6 Brushcat™ rotary cutter	•	•	•
7 Bucket, combination	•	•	•
8 Bucket, construction / industrial	•	•	•
9 Bucket, fertilizer and grain	•	•	–
10 Bucket, low profile	•	•	•
11 Bucket, skeleton	•	•	•
12 Bucket, snow & light material	•	•	–
13 Bucket, mixing	•	•	•
14 Concrete mixer	•	•	•
15 Digger	•	•	–
16 Dozer blade	•	•	•
17 Flail cutter	•	•	•
18 Forestry cutter	–	–	•
19 Grader	•	•	•
20 Grapple, industrial	•	•	•
21 Landplane	•	•	•
22 Landscape rake	•	•	•
23 Laser equipment	•	•	•
24 Mower	•	•	–
25 Pallet fork	•	•	–
26 Planer	–	–	•
27 Sand cleaner	–	–	•
28 Scarifier	•	•	•
29 Scraper	•	•	•
30 Snow pusher	•	•	•
31 Snow v-blade	•	•	•
32 Soil conditioner	•	•	•
33 Stump grinder	–	•	•
34 Sweeper	•	•	•
35 Tiller	•	•	•
36 Tree transplanter	–	•	•
37 Trencher	–	–	•
38 Utility fork	•	•	•
39 Vibratory roller	•	•	•
40 Wheel saw	–	–	•
41 Wood chipper	•	•	•



Bobcat R-Series loaders feature High or Super Flow hydraulics for enhanced performance with advanced attachments.

Actual attachment compatibility may vary depending on the machine configuration. Contact your dealer for specific compatibility details.

• = available – = not available

MULTI-TOOL CARRIER



BOBCAT OFFERS A WIDE RANGE OF ATTACHMENTS TO MEET YOUR NEEDS. CHECK OUT THE 'BOBCAT ATTACHMENT CATALOG' FROM YOUR DEALER OR DOWNLOAD THE 'ONE TOUGH WORLD' APP VIA THE QR CODE.



SPECIFICATIONS


SPECIFICATIONS				
	Unit	T66-2	T76-2	T86-2
MACHINE RATING				
Tipping load (ISO 14397-1)	kg	3 175	4 050	5 087
Rated operating capacity (ISO 14397-1)	kg	1 110	1 417	1 780
Pump capacity Std Flow (at pump RPM)	l/min	66.5	88.1	87.1
Pump capacity High Flow (at pump RPM)	l/min	101.8	114.7	138.5
Pump capacity Super Flow (at pump RPM)		–		159
System relief at quick couplers	MPa	23.8 – 24.5		
Travel speed (low)	km/h	11.6	10.9	8.7
Travel speed (high)	km/h	16.4	14.8	17.2
Lift arm path		vertical		
DIMENSIONS				
Length with standard bucket	mm	3 427	3 615	3 783
Width with standard bucket	mm	1 880	2 032	2 032
Height with operator cab	mm	2 045	2 079	2 111
Height to bucket hinge pin	mm	3 048	3 259	3 657
Ground contact length	mm	1 378	1 505	1 683
ENGINE				
Make / Model		Bobcat 2.4 l, 97/68 EC Stage V		D34 BSHV, 97/68 EC Stage V
Fuel		Diesel		
Cooling		Liquid		
Power at 2 600 RPM (ISO 14396)	kW	55		85.8
Torque at 1 800 RPM (ISO 14396)	Nm	280		426
Number of cylinders		4		
Displacement	cm³	2 400		3 409
Fuel tank capacity	l	107.1	120	
WEIGHTS				
Operating weight*	kg	4 000	5 051	5 643
Shipping weight	kg	3 679	4 394	5 228
ENVIRONMENTAL				
Operator position noise level per ISO 6396/ISO 4871	dB(A)	78		79
Bystander noise level per ISO 6395	dB(A)	103		105
Whole body vibration (ISO 2631–1) High speed	ms ⁻²	0.8	0.71	0.63
Hand-arm vibration (ISO 5349–1) High speed	ms ⁻²	2.8	1.84	1.84
FORCES				
Breakout force–boom	kg	2 036	3 070	3 559
Breakout force–bucket	kg	2 279	2 978	4 274
Push force	kg	3 401	3 880	4 659
CYCLE TIMES				
Raise lift arms	s	3.8	4.5	5.2
Lower lift arms	s	2.2	2.9	3.5
Bucket rollback	s	1.6		2.2
Bucket dump	s	2.3	2.2	2.8

*Base machine with bucket, operator and full fuel tank

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

DIMENSIONS

DIMENSIONS				
	Unit	T66-2	T76-2	T86-2
A Operating height	mm	3 910	4 131	4 538
B Height with operator cab	mm	2 045	2 079	2 111
C Angle of departure	°	27	30	
D Ground clearance	mm	188	218	
E Ground contact length	mm	1 378	1 505	1 683
F Length without attachment	mm	2 718	2 895	3 059
G Length with standard bucket	mm	3 427	3 615	3 783
H Rollback at ground position	°	30		
I Dump height with standard bucket	mm	2 396	2 605	2 980
J Height to bucket hinge pin	mm	3 048	3 259	3 657
K Dump reach at maximum height	mm	933	922	877
L Dump angle at maximum height	°	37	39	
M Rollback fully raised at maximum height	°	94	98	
N Width over standard bucket	mm	1 880	2 032	
O Turning radius with standard bucket	mm	2 104	2 202	2 162
P Track, 450 mm tracks	mm	1 401	1 531	
Q Width over tracks, 450 mm tracks	mm	1 801	1 981	



FINANCING OPTIONS

24, 36, OR 48-MONTH FINANCING*

Take advantage of 24, 36, or 48-month financing programs starting from **0% interest** and improve your cash flow.

Ask your dealer for the financing offers available.

340 MACHINES / **150** ATTACHMENT FAMILIES / **1** TOUGH ANIMAL



**SKID-STEER
LOADERS**



**COMPACT TRACK
LOADERS**




**COMPACT WHEEL
LOADERS**




**COMPACT
EXCAVATORS**



FORKLIFTS




TELEHANDLERS



ROTARY TELEHANDLERS



**WAREHOUSE
EQUIPMENT**



GENERATORS



**AIR
COMPRESSORS**



**LIGHT COMPACTION
EQUIPMENT**



**COMPACT
TRACTORS**



**MINI TRACK
LOADERS**



MOWERS



ATTACHMENTS

DOOSAN

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2026 Bobcat Company. All Rights Reserved.

www.bobcat.com

©2026 BOBCAT B4503720-EN (08-26)



Bobcat

*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply.

Doosan Bobcat EMEA, U Kodelky 1810, 263 12 Dobříš, Czech Republic